



## X3 series

### Temperature recorders for cold chain compliance.

ORBCOMM's temperature recorders enable temperature monitoring and proof of compliance from origin to destination for food, pharmaceuticals and other temperature-controlled cargo.

As part of a comprehensive cold chain telematics solution that includes sensors, connectivity and the ColdChainView web application, the X3 series delivers printed or electronic temperature records, real-time event-based alerts, advanced reports and analytics, geofences and more.

#### Available in two configurations:

- TX3: rugged case for installation outdoors
- RX3: compact for installation inside the cabin

#### Regulatory compliance

ORBCOMM's X3 series meets the highest requirements of local and international regulations and guidelines for the transportation of food and pharmaceuticals—GAMP 5 (Good Automated Manufacturing Practice established by the pharmaceutical industry), HACCP (food safety), EN12830:2018 Class 0.5, CE, RED and PTCRB.

#### Feature-rich

The temperature recorders feature an integrated printer, a large display, an easy-to-use interface, multi-language support, a built-in accelerometer and

**Proof of cold chain compliance**

**Integrated printer**

**Easy to use and install**

**Event-based alarms**

**Multi-temperature compartment support**

more. In addition to on-demand printed temperature records, the RX3 gives drivers access to status reports right from the cabin.

Access real-time and historical reports and run analytics on asset performance, utilization and status to increase operational visibility, enable more efficient business planning and gain a better return on investment. Receive and manage temperature, intrusion, geofence and maintenance

alerts in real-time through the built-in display or the ColdChainView application to ensure timely corrective measures are taken.

The X3 series supports up to 6 sensors, making it ideal for multicompartment trailers with different temperature requirements. ORBCOMM's X3 series is compatible with refrigerated units from most manufacturers.

## Specifications

### Compatible refrigeration systems

- Carrier
- Thermo King
- Mitsubishi
- Konvekta

### Operating voltage

- 10 - 32 V with load dump protection

### Power

- Consumption: nominal value 0.6 W, max. 25 W (while printing)
- Low power mode capability

### Environmental

- Operating temperature: -30 °C / +70 °C
- Maximum temperature: -40 °C / +85 °C
- TX3: IP65
- RX3: IP20

### Humidity

- Relative humidity: 97% at 25 °C

### Memory size

- Memory size: 8 MB, minimum 1 year with 2 sensors on a 15 min logging interval

### Interfaces

- Inputs: 6 temperature sensors (-50 °C / +70 °C)
- Digital inputs: 1 digital for display background light, active >5 VDC, 4 closed circuit
- Open output: 1 switched to ground and current limited to 1A
- 3-axis accelerometer

### Bluetooth

- Data transmission to EuroTool service software and service/parameter programming via Bluetooth

### External interfaces

- Data ports: 2 RS-232 connectors for external devices
- CAN Bus: 1 port

### Cellular communications

- 3G HSPA

### Dimensions

- TX3: 225 x 185 x 111.7 mm (8.86" x 7.28" x 4.4")
- RX3: 186 x 58 x 150 mm (7.32" x 2.28" x 5.91")

### Compliance

- EN 13486, Class 1
- -852/2004 AS OF 1.1.2006
- HACCP
- GAMP 5
- CE
- RED
- PTCRB

### Certification

- EN12830:2018 Class 0.5 (-25°C to +7°C),
- Class 1 (-40°C to +50°C)
- E-13 type approval to 95/54/EEC



*Although we strive to ensure accuracy in all of our published specifications, actual field performance can vary depending on a variety of environmental, installation and usage factors, as well as third-party factors such as cellular providers. The specifications listed are approximations, and do not constitute binding statements or modify the terms and conditions of purchase or lease including, but not limited to, product operational limitations and warranties. All specifications are subject to change without notice. Please check [www.orbcomm.com](http://www.orbcomm.com) to ensure you have the latest version of these specifications.*

Email: [sales@ORBCOMM.com](mailto:sales@ORBCOMM.com) | Call: 1-800-ORBCOMM

Visit our website [www.ORBCOMM.com](http://www.ORBCOMM.com)

ORBCOMM is a global leader in industrial IoT, delivering visibility, intelligence and efficiency to the world's most critical operations. With 30 years of innovation and more than 2.4 million connected devices, we transform data into actionable insights, driving greater efficiency, safety, resilience and sustainability. Serving customers that include the world's largest shipping lines, over-the-road trucking fleets, cold-chain transportation fleets and a global network of IoT solution provider partners, ORBCOMM is where IoT powers asset intelligence.