

## IS 400

### Tractor ID sensor for trailer pairing confirmation.

Automatically identify which tractor is paired with a trailer for improved driver and operational efficiency.



The IS 400 tractor ID sensor helps eliminate the costly error of hooking up the wrong trailer by identifying the tractor that's connected to a trailer. In addition to reducing the time and effort it takes to get manual confirmation, the IS 400 notifies the back office when trailers are connected or disconnected and the beginning or ending of moves for a more complete picture of fleet assets in the field.

#### Long-lasting

The built-in battery is designed to last 7+ years, ensuring continuous usage without requiring an external power source. The device saves power by remaining latent until it finds a unit to connect to.

#### Automatic pairing

The device automatically detects and pairs with a trailer when in proximity, eliminating the need to manually verify that the right tractor and trailer are paired. The device also detects when the trailer is disconnected, alerting the back office in real time. Once paired, the device triggers an automatic notification to the back office application.

#### Smart pairing

Advanced smart pairing technology ensures that the unit can connect wirelessly to the desired trailer, while filtering out nearby trailers that could otherwise interfere with the connection.

#### GT 1200 Integration

The IS 400 integrates with our GT 1200 telematics device to enhance the visibility, monitoring and management of your fleet. Adding tractor identification to your trailer fleet improves driver efficiency, reduces the room for error and automates an otherwise manual process.

**Automated, real-time pairing validation**

**Increased driver efficiency**

**Improved driver retention**

**Quick and easy installation**

**Ruggedized and weatherproof enclosure**

**Long battery life**

**Seamless integration with our trailer tracking solution**

**Compatibility**

- GT 1200 and GT 1210

**Environmental**

- Operating temperature: -40°C to +85°C
- Ingress protection: IP69K for dust and water
- Vibration: AAR-S-9401
- Shock: MIL-STD

**Communications**

- Bluetooth Low Energy (BLE 5.0)

**Power**

- 2700 mAh lithium battery with 7+ year lifespan

**Dimensions**

- 6.65 x 0.93 x 2.92 inches
- 16.9 x 2.6 x 7.4 cm

**Weight**

- 0.42 pounds (0.19 kg) without brackets
- 0.62 pounds (0.28 kg) with brackets

**Mounting**

- Mounts to the exterior rear wall of the truck cab using accessory kit ST101238-001

**Certification**

- FCC
- IC
- CE
- RoHS
- Device patent pending

*All specifications are subject to change without notice.*

**CALL: 1.800.ORBCOMM    EMAIL: SALES@ORBCOMM.COM    VISIT: WWW.ORBCOMM.COM**

ORBCOMM (Nasdaq: ORBC) is a global leader and innovator in the industrial Internet of Things, providing solutions that connect businesses to their assets to deliver increased visibility and operational efficiency. The company offers a broad set of asset monitoring and control solutions, including seamless satellite and cellular connectivity, unique hardware and powerful applications, all backed by end-to-end customer support, from installation to deployment to customer care. ORBCOMM has a diverse customer base including premier OEMs, solutions customers and channel partners spanning transportation, supply chain, warehousing and inventory, heavy equipment, maritime, natural resources, and government. For more information, visit [www.orbcomm.com](http://www.orbcomm.com).